



Pressure Ratings PN8 to PN25

DN	DA	PN8		PN10		PN12.5		PN16		PN20		PN25	
		SN10000		SN10000		SN10000		SN10000		SN10000		SN10000	
		e	kg/m	e	kg/m	e	kg/m	e	kg/m	e	kg/m	e	kg/m
300	324	7.7	14.1	7.9	15.4	8.0	15.0	9.7	18.2	11.2	21.2	13.3	24.8
350	376	8.8	18.8	9.1	20.7	9.1	20.5	11.0	24.5	12.5	27.8	14.9	33.4
400	427	9.7	23.9	10.1	26.0	10.0	25.2	12.2	30.5	13.7	34.4	16.4	40.4
450	478	10.6	29.5	11.2	32.8	11.2	31.8	12.8	35.8	14.9	42.2	17.7	49.8
500	514	11.4	34.3	12.1	39.1	12.0	37.8	13.2	41.1	15.8	49.7	18.7	57.7
600	616	13.3	48.8	13.8	52.1	13.7	50.6	14.5	53.7	18.1	68.3	21.2	75.9
700	718	15.5	65.9	15.6	69.1	15.8	68.2	16.2	70.6	20.7	88.7	23.9	101.6
800	820	17.4	85.6	17.0	87.3	17.1	86.1	17.3	87.5	22.5	110.8	26.6	127.9
900	924	19.4	108.2	19.2	111.1	19.2	108.5	21.1	116.2	25.6	142.0	31.0	169.0
1000	1026	21.3	132.7	21.2	136.9	21.2	133.5	23.1	141.6	28.1	173.0	33.8	204.6
1100	1127	23.4	160.1	23.0	158.2	22.9	153.9	24.0	159.2	29.9	197.6		
1200	1229	25.3	189.2	25.0	194.1	24.9	188.1	27.2	199.7	33.0	244.0		
1350	1350	27.5	226.2	27.5	233.2	27.0	222.5	30.7	246.9	35.8	288.5		
1400	1434	29.3	257.1	29.1	264.2	28.9	255.3	33.9	291.9	38.0	328.4		
1500	1536	31.4	295.0	30.6	289.9	30.4	280.4	35.4	318.8	39.9	360.1		
1600	1638	33.3	334.8	33.2	345.4	32.9	332.8	38.7	381.3	43.4	428.9		
1800	1842	37.3	422.3	36.7	430.5	36.3	413.8	42.9	476.0				
2000	2046	41.2	519.2	40.9	535.0	40.3	511.0						
2200	2250	45.1	625.9	44.9	644.9	44.2	617.2						
2400	2400	47.9	711.5	47.9	733.9	47.1	701.7						